

Product Range 2016



PUMPS

MAINTENANCE

ILLUMINATION /
SOLAR

POND CONSTRUCTION /
DECORATION



PUMPS



Vulkan



Jets



Bell



Calyx



PondoVario
750 / 1000

PondoVario 1500 / 2500




PondoVario 3500

FOUNTAIN PUMPS PondoVario 750 – 3500

- Suitable for use in garden ponds, ornamental fountains and small watercourses*
- Removable fine filter casing for feeding watercourses or filters*
- Pivoting* telescopic extension with 4 nozzles and ball joint*
- A second, separately adjustable, outlet*
- Stepped hose adapter included in the scope of delivery*
- Including thermal cut-off switch

*From PondoVario 1500

	PondoVario 750 / 1000	145 x 125 x 90 mm
	PondoVario 1500 / 2500	180 x 160 x 125 mm
	PondoVario 3500	210 x 190 x 142 mm



Models

	Vulkan		Jets		Bell		Calyx	
PondoVario 750	70 cm	70 cm	25 cm	35 cm	15 cm	15 cm	15 cm	15 cm
PondoVario 1000	80 cm	80 cm	40 cm	55 cm	20 cm	20 cm	20 cm	20 cm
PondoVario 1500	140 cm	140 cm	70 cm	100 cm	35 cm	30 cm	30 cm	30 cm
PondoVario 2500	180 cm	180 cm	100 cm	150 cm	50 cm	45 cm	45 cm	45 cm
PondoVario 3500	220 cm	220 cm	150 cm	200 cm	65 cm	60 cm	60 cm	60 cm

Models

	Flow rate	Pressure	220–240 V/50 Hz	Cable length	International	UK
PondoVario 750	720 l/h	Qmax 1.10 m	Hmax 9 W	10 m	Id. No. 56465	56476 PU 5
PondoVario 1000	1000 l/h	Qmax 1.30 m	Hmax 11 W	10 m	Id. No. 56719	56735 PU 5
PondoVario 1500	1500 l/h	Qmax 1.90 m	Hmax 25 W	10 m	Id. No. 57123	57190 PU 4
PondoVario 2500	2500 l/h	Qmax 2.20 m	Hmax 40 W	10 m	Id. No. 57124	57191 PU 4
PondoVario 3500	3400 l/h	Qmax 2.60 m	Hmax 70 W	10 m	Id. No. 56477	56478 PU 2



PondoMax Eco
1500 / 2500



PondoMax Eco
5000 - 17000



Watercourse




Filter



Waterfall

FILTER AND WATERCOURSE PUMPS PondoMax Eco 1500 – 17000

- Energy-efficient pump for watercourses and filtration
- Suitable for solid handling of particles up to 4 – 8 mm
- Stepped hose adapter included in the scope of delivery
- Including thermal cut-off switch



PondoMax Eco 1500 / 2500 170 x 190 x 110 mm

PondoMax Eco 5000 – 17000 280 x 235 x 150 mm



Models

	Flow rate		Pressure		220–240V/50Hz	Cable length	International	UK
PondoMax Eco 1500	1500 l/h	Qmax	1.90 m	Hmax	25 W	10 m	Id. No. 50851 PU 4	50852 PU 4
PondoMax Eco 2500	2500 l/h	Qmax	2.20 m	Hmax	40 W	10 m	Id. No. 50853 PU 4	50854 PU 4
PondoMax Eco 5000	5000 l/h	Qmax	2.60 m	Hmax	60 W	10 m	Id. No. 50855 PU 2	50856 PU 2
PondoMax Eco 8000	8000 l/h	Qmax	2.80 m	Hmax	70 W	10 m	Id. No. 50857 PU 2	50858 PU 2
PondoMax Eco 11000	10000 l/h	Qmax	3.00 m	Hmax	95 W	10 m	Id. No. 51178 PU 2	51179 PU 2
PondoMax Eco 14000	13400 l/h	Qmax	3.20 m	Hmax	140 W	10 m	Id. No. 51180 PU 2	51183 PU 2
PondoMax Eco 17000	17000 l/h	Qmax	3.50 m	Hmax	180 W	10 m	Id. No. 56567 PU 2	56651 PU 2

STATUARY PUMPS PondoCompact 300 – 5000



PondoCompact
300iL

- Suitable for indoor- and outdoor-water features
- Adjustable water flow
- Compact design
- Hose connection



PondoCompact 300i/300iL	45 x 40 x 45 mm
PondoCompact 500	47 x 35 x 55 mm
PondoCompact 600	62 x 45 x 78 mm
PondoCompact 800/1200	75 x 55 x 90 mm
PondoCompact 2000/5000	170 x 75 x 120 mm

Models

	Flow rate		Pressure		230V/50Hz	Cable length	Hose connection	International	UK
PondoCompact 300i	300 l/h	Qmax	0.70 m	Hmax	5 W	1.5 m	13 mm	Id. No. 37057 PU 12	
PondoCompact 300iL	300 l/h	Qmax	0.70 m	Hmax	5 W	1.5 m	13 mm	Id. No. 57502 PU 6	
PondoCompact 500i	500 l/h	Qmax	0.80 m	Hmax	5 W	1.5 m	13 mm	Id. No. 57503 PU 6	
PondoCompact 800i	750 l/h	Qmax	1.50 m	Hmax	20 W	1.5 m	13+17+19 mm	Id. No. 57504 PU 4	
PondoCompact 1200i	1200 l/h	Qmax	2.00 m	Hmax	25 W	1.5 m	13+17+19 mm	Id. No. 57505 PU 4	
PondoCompact 300	300 l/h	Qmax	0.70 m	Hmax	5 W	10 m	13 mm	Id. No. 57506 PU 4	57587 PU 4
PondoCompact 600	600 l/h	Qmax	1.25 m	Hmax	11 W	10 m	13 mm	Id. No. 57507 PU 4	57588 PU 4
PondoCompact 1200	1200 l/h	Qmax	2.00 m	Hmax	25 W	10 m	13+17+19 mm	Id. No. 57508 PU 4	57589 PU 4
PondoCompact 2000	2000 l/h	Qmax	2.20 m	Hmax	32 W	10 m	2 x 19 mm	Id. No. 57509 PU 4	57590 PU 4
PondoCompact 3000	3000 l/h	Qmax	3.00 m	Hmax	55 W	10 m	2 x 19 mm	Id. No. 57510 PU 2	57591 PU 2
PondoCompact 5000	5000 l/h	Qmax	3.10 m	Hmax	82 W	10 m	2 x 25 mm	Id. No. 57511 PU 2	57592 PU 2

PondoCompact
500 – 1200

PondoCompact
2000 – 5000

MAINTENANCE



UNDERWATER FILTER-SETS PonDuett 3000 / 5000



- Compact underwater filter, that also creates a fountain effect, for ponds up to 3000 / 5000 litres (without fish stock)
- Pivoting telescopic extension with 4 nozzles
- Bio-mechanical cleaning stages (sponge, bio-surface elements and Bio-Pure filter media)
- 2nd separately adjustable outlet
- Stepped hose adapter included for watercourse operation in scope of delivery

Models

	Vulkan	Jets	Bell	Calyx
PonDuett 3000	140 cm	70 cm	35 cm	30 cm
PonDuett 5000	180 cm	100 cm	50 cm	45 cm

Models

	Flow rate	Pressure	220–240V/50Hz	Cable length	International
PonDuett 3000	1500 l/h Qmax	1.90 m Hmax	25 W	10 m	Id. No. 57118 PU 3
PonDuett 5000	2500 l/h Qmax	2.20 m Hmax	40 W	10 m	Id. No. 57119 PU 3



UNDERWATER FILTER-SETS WITH UVC PondoReil 3000



- Compact Underwater Filter with UVC, that also creates a fountain effect, for ponds up to 3000 litres (without fish stock). With clear water guarantee.
- Bio-mechanical cleaning stages (sponge, biosurface elements and Bio-Pure filter media)
- Pivoting telescopic extension with 4 nozzles*
- 2nd separately adjustable outlet*
- Stepped hose adapte included for watercourse operation in scope of delivery

*Not in UK version

Models

	Vulkan	Jets	Bell	Calyx	230V/50Hz		
PondoReil 3000	80 cm	40 cm	20 cm	20 cm	UVC 7 W	3000 l	1500 l

Models

	Flow rate pump	Pressure	230V/50Hz	Cable length	International	UK
PondoReil 3000	1000 l/h Qmax	1.30 m Hmax	20 W	10 m	Id. No. 50748	50944 PU 2





FLOW-THROUGH FILTER-SET WITH UVC PondoClear Set 4000

- Filter-Sets with clear water guarantee for ponds up to 4000 litres (without fish stock)
- With 7 watt Underwater-UVC clarifier for eliminating suspended algae
- Multi-stage Filter system with different filter stages (filter sponge, bio surface elements)
- High-performance UVC-filter-pump unit with 4 mm filter slots, 3 m hose and all connections

Models

	Dimensions filter	Flow rate pump	230V / 50Hz	International	UK
PondoClear Set 4000	330 x 260 x 310 mm	1000 l/h Qmax	20 W	4000 l 2000 l	Id. No. 51226 51228 PU 2



MULTI-CHAMBER FILTER-SETS WITH UVC MultiClear Sets 5000 / 8000 / 15000

- Compact flow-through filter sets with clear water guarantee for ponds up to 5000 / 8000 / 15000 litres (without fish stock)
- With 7 / 11 watt UVC clarifier for eliminating suspended algae
- Incl. high-performance filter pumps (1500 / 2500 / 3500 l/h) with 4 mm filter slots, 3 m hose and all connections



MultiClear Set 8000

MultiClear Set 5000

MultiClear Set 15000



Models

	Dimensions incl. UVC in mm	Flow rate pump	230V / 50Hz	International	UK
MultiClear Set 5000	385 x 285 x 370 mm	1500 l/h Qmax	UVC 7 W	5000 l 2500 l	Id. No. 50238 50293 PU 2
MultiClear Set 8000	385 x 285 x 450 mm	2500 l/h Qmax	UVC 11 W	8000 l 4000 l	Id. No. 50239 50294 PU 2
MultiClear Set 15000	385 x 560 x 410 mm	3500 l/h Qmax	UVC 11 W	15000 l 7500 l	Id. No. 42752 42767 PU 2



NEW

MAINTENANCE

COMPLETE PRESSURE FILTER SET WITH UVC PondoPress Sets 5000 / 10000 / 15000

**PondoPress Set
10000 / 15000**



PondoPress Set 5000



Models

	Dimensions incl. UVC in mm	Flow rate pump	230V / 50 Hz	International	International
PondoPress Set 5000	225 x 225 x 325 mm	1500 l/h Qmax	UVC 7 W	5000 l	2500 l Id. No. 50753 PU 2
PondoPress Set 10000	350 x 350 x 450 mm	2500 l/h Qmax	UVC 9 W	10000 l	5000 l Id. No. 57146 PU 2
PondoPress Set 15000	350 x 350 x 560 mm	2500 l/h Qmax	UVC 11 W	15000 l	7500 l Id. No. 57147 PU 2





SLUDGE VACUUM PondoMatic

- Special vacuum cleaner for ponds and pools
- Effective sludge vacuum with powerful 1400 watt motor
- Automatic activation and emptying through intelligent integrated time control
- Compact design 30 litre collection tank
- With 3 suction nozzles: crevice nozzle, algae nozzle, variable universal nozzle (2–10 mm)
- Inclusive 4 m suction hose and 2 m discharge hose



2.00 m	1400 W	4 m
370 x 370 x 540 mm	International	UK
30 l	Id. No. 50754	50770 PU 2

AIR PUMP SET PondoAir Set 200 / 450 / 900

- Pump for oxygen enrichment in the pond
- For outdoor use with protection class IP44
- Incl. 2 x 5 m hose and 2 airstones
- Incl. 2 replacement diaphragms



Replacement airstone round



Ø 50 mm	International
Id. No. 37201 PU 10	

Models

	Flow rate	Pressure	230V / 50Hz	Cable length	International
PondoAir Set 200	200 l/h Qmax	0.15 bar	4 W	1.5 m	Id. No. 57514 PU 4
PondoAir Set 450	450 l/h Qmax	0.15 bar	6 W	1.5 m	Id. No. 57515 PU 4
PondoAir Set 900	900 l/h Qmax	0.15 bar	12 W	1.5 m	Id. No. 57516 PU 2

AIR PUMP SET PondoAir Set 1800 / 3600

- Pump for oxygen enrichment in the pond

NEW



- For outdoor use with protection class IP44
- Incl. 4 x 5 m hose, 4 airstones and an adjustable air diverter
- Incl. 2 replacement diaphragms



Models

	Flow rate	Pressure	230V / 50Hz	Cable length	International	UK
PondoAir Set 1800	1800 l/h Qmax	0.25 bar	25 W	1.5 m	Id. No. 43109	43110 PU 2
PondoAir Set 3600	3600 l/h Qmax	0.30 bar	35 W	1.5 m	Id. No. 43111	43112 PU 2


MAINTENANCE

NEW

ICE PREVENTER PondoPolar Air

- Floating ice preventor made from Styrofoam, keeps one part of the pond ice free down to -15°C
- Gas exchange through vent slot
- With an outdoor proofed 100 l/h air pump (IP44) for additional water aeration and circulation



 Ø 280 x 225 x 130 mm
International
Id. No. 57685 PU 15




ICE PREVENTER PondoPolar

NEW

- Offers protection against complete freezing, can be filled with sand
- Gas exchange through vent slot
- Made of Styrofoam, two-piece
- Suitable for use in temperatures down to -10°C



 Ø 280 x 225 x 130 mm
International
Id. No. 41891 PU 15







NEW

FLOATING FILTER-SET PondoClear Island 3000



- Floating filter-set with UVC for ponds up to 3000 l (without fish stock) with filter sponges
- With 3 different fountain attachments and 4 neutral-white LED light fixtures

 1200 l/h Qmax	 AC 220–240V / 50 HZ / 21 W
 250 x 250 x 270 mm	International UK
 10 m	Id. No. 43186 43281 PU 2







POND AERATION SET PondoAir Set 1200 LED

NEW



- Underwater pond aeration-set with fountain pump (Venturi principle)
- With filter foam, filter pebbles and neutral-white LED light fixture

 1200 l/h Qmax	 AC 220–240V / 50 HZ / 21 W
 200 x 200 x 160 mm	 10 m
International	Id. No. 43188 PU 2



POND THERMOMETER PondoThermo

NEW



- Floating pond thermometer with a scale in Celsius and Fahrenheit
- With 1.5 m of string for fixing at the pond edge





 45 x 45 x 190 mm
International
Id. No. 43190 PU 6



SURFACE SKIMMER PondoSkim 12V

- Floating universal skimmer for pond and pool
- Easy cleaning with removable basket and filter foam
- Due to 12 V-technology also suitable for pools and swimponds



 2000 l/h Qmax	 230 / 12 V / AC / 35 W
 225 x 240 x 340 mm	 8+2 m
International	Id. No. 57512 PU 2



ILLUMINATION



2 Years Guarantee

LED-SPOTLIGHT SET PondoStar LED Set 1 / LED Set 3

- Suitable for use underwater and above the water
- 2 watt / 3 x 1 watt LED
- Protection class IP 68
- 12 volt safety transformer and 7 m cable

NEW

LED-SPOTSET PondoStar LED Set 6



2 Years Guarantee

- Suitable for use underwater and above the water, protection class IP68
- Energy efficient neutral white LED set with 6 x 0,5W spots, including a daylight sensor

POND MIST MAKER PondoFog

NEW



2 Years Guarantee



2 Years Guarantee

ROCK LIGHT SET PondoStar Set 30

- Light set for implementation in the garden pond and above the water surface
- 3x10 watt lights in rock design
- Rocks are made of weather-resistant polyresin
- 12 volt safety transformer:
Cable length: 1 x 2 m plug / transformer, 3 x 3 m transformer / light

Models

	230 V / 50Hz / 12 V / AC	International
PondoStar LED Set 1	2 W	Id. No. 57519 PU 4
PondoStar LED Set 3	3x 1 W	Id. No. 57520 PU 4
PondoStar LED Set 6	6x 0,5 W	Id. No. 43187 PU 2
PondoStar Set 30	3x 10 W	Id. No. 36972 PU 4

Models

	230 V / 50Hz / 24 V / AC	International
PondoFog	20 W	Id. No. 43189 PU 2

- Mist maker for indoor and outdoor use
- Set with 10m cable, transformer and swim ring
- With colourful RGD LED light for a mystic atmosphere
- Includes spare membrane and changing tool
- For submersible use – IP68
- Easy installation



SOLAR FOUNTAIN SET

PondoSolar 150

- With 150 l/h, 6 V pump
- With 1.4 watt solar panel
- Includes connectable host attachments and 4 different nozzle heads
- Solar powered fountain in sunlight – no need for electricity



PondoSolar 250 Control

- With 250 l/h, 9 V pump
- With 3 watt solar panel
- Includes Li-Ionen battery 7.4 V – 2000 mAh
- Includes 4 nozzle heads, LED light and remote control for even more comfort
- The fountain can be enjoyed in overcast conditions and twilight



PondoSolar 600 Control

- With 600 l/h, 12 V pump **NEW**
- With 7 watt solar panel
- Includes Li-Ionen battery 7.4 V – 4000 mAh
- Includes 2 nozzle heads, LED light and remote control for even more comfort
- The fountain can be enjoyed in overcast conditions and twilight



PondoSolar 1600

- With 1600 l/h, 12–20 V pump **NEW**
- With 2 x 10 watt solar panel
- Includes 2 nozzle heads
- Solar powered fountain in sunlight – no need for electricity



Models

	Solar panel	Pump/DC	Vulkan	International
PondoSolar 150	1.4 W	6 V	45 cm	Id.No. 40277 PU 4
PondoSolar 250 Control	3 W	9 V	60 cm	Id.No. 43324 PU 2
PondoSolar 600 Control	7 W	12 V	80 cm	Id.No. 43325 PU 2
PondoSolar 1600	20 W	20 V	180 cm	Id.No. 43326 PU 2




SOLAR SETS

FLOATING SOLAR FOUNTAIN SET

PondoSolar Lily Island

- With 150 l/h, 6 V pump
- With 1.3 watt solar panel
- Solar powered fountain in sunlight – no need for electricity




FLOATING SOLAR FOUNTAIN SET

PondoSolar Island 250 Control

- With 250 l/h, 6–9 V pump
- With 1.4 watt solar panel
- Includes Li-Ionen battery 3.7 V–2000 mAH
- With 4 nozzle heads, LED light and remote control for even more comfort
- The fountain can be enjoyed in overcast conditions and twilight

NEW



FLOATING SOLAR POND AERATING-SET

PondoSolar Air Island Plus

- With 150 l/h, 6 V pump
- With 1 watt solar panel
- Includes 3.7 V–2000 mAH Li-Ionen battery for aeration in the twilight
- With 50 cm hose and airstone
- Easy installation – ready to use

NEW




Models

	Solar panel	Pump/DC	Vulkan	International
PondoSolar Lily Island	1.3 W	6 V	30 cm	Id. No. 40280 PU 4
PondoSolar Island 250 Control	1.4 W	9 V	45 cm	Id. No. 43327 PU 2
PondoSolar Air Island Plus	1 W	6 V	–	Id. No. 43328 PU 4



POND CONSTRUCTION / DECORATION



PVC pond liner

- Robust 0.5 mm and 1 mm PVC pond liner
- Great durability
- In four roll sizes

15
Years
Guarantee

	International
PVC pond liner 0.5 mm / 2 x 100 m	Id. No. 50769 PU 200 m ²
PVC pond liner 0.5 mm / 4 x 50 m	Id. No. 50778 PU 200 m ²
PVC pond liner 0.5 mm / 6 x 40 m	Id. No. 50779 PU 240 m ²
PVC pond liner 0.5 mm / 8 x 30 m	Id. No. 50780 PU 240 m ²
PVC pond liner 1.0 mm / 2 x 50 m	Id. No. 50628 PU 100 m ²
PVC pond liner 1.0 mm / 4 x 25 m	Id. No. 50629 PU 100 m ²
PVC pond liner 1.0 mm / 6 x 25 m	Id. No. 50630 PU 150 m ²
PVC pond liner 1.0 mm / 8 x 25 m	Id. No. 50632 PU 200 m ²



POND CONSTRUCTION AND DECORATION PondoLily

- Floating waterlily made of weatherproof plastic material
- With a lug for fastening
- 4 colour assortment



Ø 17 cm

Id. No. 57528 PU 48

2
Years
Guarantee

PondoLily red/orange/white/purple

NEW

- Floating waterlily made of weatherproof plastic material
- With a lug for fastening
- From 2016 a single colour box is also available



red	Id. No. 43320 PU 12
orange	Id. No. 43321 PU 12
white	Id. No. 43322 PU 12
purple	Id. No. 43323 PU 12

BAMBOO NET PondoNet

- Long handle length of 100 cm
- With a 20 cm grid diameter
- 2 mm mesh width



Bamboo Net

Id. No. 40292 PU 25

2
Years
Guarantee

pontec® pictograms



Rated voltage/
Power consumption



Pressure



Flow rate



Cable length



Dimensions
(L x W x H)



Fountain
height



Ponds with-
out fish stock



Pond with
fish stock



Capacity -
filters



UVC
Flow rate



Hose
connection

pontec
Fascinating WaterGardens

PfG GmbH
Postfach 2068
48469 Hörstel
Germany
info@pontec.com

www.pontec.com

Your pontec® dealer:

ID.Nr. 32.210/08-15 MH
The products listed in this catalogue are designed for the respective described application and have been tested accordingly. PFG GmbH assumes no liability whatsoever for applications that deviate from the described application. We reserve the right to deviate slightly from the text and illustrations in this catalogue in the interest of technical progress. With publication of this catalogue all other catalogues are no longer valid.
Use of the image data only after obtaining express approval from PFG GmbH.